·	Application No.	Applicant(s)
	10/500,668	VALENTIN ET AL.
Notice of Allowability	Examiner	Art Unit
	Amy J. Sterling	3632
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>11/6/06</u> .		
2. The allowed claim(s) is/are <u>14-17,19-23,25 and 26</u> .		
<ul> <li>3.</li></ul>		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3.  Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of		
Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	e El Nicola (1.4	ntont Ameliantic -
· · ·	5. Notice of Informal Pa	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	<ol> <li>Interview Summary €</li> <li>Paper No./Mail Date</li> </ol>	
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. Examiner's Amendm	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	nt of Reasons for Allowance
	9.  Other	

## Notice of Allowance

This is the Notice of Allowance for application number 10/500,668 Support for Moving Cylindrical Elements and Method and Conveyor Using Such Supports, filed on 6/30/04. Claims 14-17 and 19-26 are allowed.

## Reasons for Allowance

The following is an examiner's statement of reasons for allowance:

The prior art of record does not show a support for rolling a cylindrical element which includes a first guide means guiding the element at a height z1 and in the downstream direction in which the element rolls a guide means guiding the cylindrical element at a height z2, which is higher than z1, wherein the friction between the second guide means and the cylindrical element is lower than an amount of friction between the first guide means and the cylindrical element and also the first guide means are both Vee-shaped rollers.

## Conclusion

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance." Any inquiry concerning this communication should be directed to Amy J. Sterling at telephone number 571-272-6823. The fax machine number for the -Technology center is 571-273-8300 (formal amendments) or

Application/Control Number: 10/500,668

Art Unit: 3632

571-273-6823 (informal amendments/communications). Any inquiry of a general - nature or relating to the status of this application should be directed to the Technology Center receptionist at 571-272-3600.

Page 3

Amy J. Sterling
Primary Examiner

11/17/06